

Receiving Report

Date: 11/01/27

Batch No: M116719

Supplier: METAPOLITON

Dart P/O: 13346

Packing Slip: Yes ☒ No ☐
 Invoice: Yes ☐ No ☒
 Receipt: Cash ☐ Cr ☒

Release Note Attached: Yes ☒ No ☐ N/A ☐
 Waybill Attached: Yes ☒ No ☐ N/A ☐
 Shipment Complete: Yes ☒ No ☐ N/A ☐
 QC6 Inspection ☒ N/A ☐
 Work Order 81101725 N/A ☒

Discrepancies

Part Number	Description	Quantity Ordered	Quantity Received	Quantity Returned	Quantity Short	Comments

Initials of receiver (if shipment OK) Level 12 [Signature]

Production/Admin: 11/01/27
 Date [Signature]
 Received/Costing [Signature]
 Initial [Signature]

Location _____

Page 1 of 1

All amounts are calculated in domestic currency.

Grouped by Vendor ID

[illegible]

Shipping Order

26/01/2011

METAUX SOLUTIONS INC.
2108, 32E AVENUE
LACHINE, QUEBEC
H8T 3H7

Tel.: 514 633-8010

Customer: 6323336

DART AEROSPACE LTD
HAWKESBURY, ONTARIO
K6A 1K7

Order : 72032
Reference : 13346
Bid : 7379
Ship : NOTRE CAMION / OUR TRUCK


Ship To

Same

Tel.: 1 613 632-3336

Item No.	Description	Qty	Qty. Delivered	B/O Qty
SSQT34340494	304 SQ TUBE .750 X .049 WALL 10 X 20' **** HT; 5AJ9 ET 977002	200	<u>200</u>	<u>e</u>
SSQ1124	304 SQU 1.500 1 X 12.83' HT;250596	12.83	<u>12-83</u>	<u>e</u>

SHIP TST COLLECT
JP



Ref. : _____

METAUX SOLUTIONS INC.
2108, 32E AVENUE
LACHINE, QUEBEC
H8T 3H7
Tel.: 514 633-8010

Shipping Order

26/01/2011

Order : 72032
Reference : 13346
Bid : 7379
Ship : NOTRE CAMION / OUR TRUCK

Customer: 6323336

DART AEROSPACE LTD
1270, ABERDEEN STREET
HAWKESBURY, ONTARIO
K6A 1K7

Ship To

Same

Tel.: 1 613 632-3336

Item No.	Description	Qty	Qty. Delivered	B/O Qty
SSQT34340494	304 SQ TUBE .750 X .049 WALL 10 X 20' **** HT; 5AJ9 ET 977002	200	<u>200</u>	<u>Ø</u>
SSQ1124	304 SQU 1.500 1 X 12.83' HT;250596	12.83	<u>12.83</u>	<u>Ø</u>
SHIP TST COLLECT JP				

Shipping : _____
Package No : _____

Ref. : _____

Merchandise Received: _____

PHOENIX TUBE COMPANY, INC.
Manufacturer of Stainless Ornamental and Structural Tubing
CERTIFICATION OF TEST

Sold To: 1

Ship To:

CUSTOMER ORDER#: C76890

CUST REF NBR:

DATE SHIPPED: 01/03/11

SIZE: 3/4SQ X 18 GA AW

SOURCE: USA D

VENDOR: ALS

Specification:

ASTM A554-10

Phone# 5492603

ORDER#: 236883

QTY SHIPPED: 400.0

GRADE: 304L

HEAT#: 977002

TEST REPORT#: TR009322

Report Date: 09/22/10

Ext:

WELD: HF

T304L/304 DUAL CERTIFIED

NO WELD REPAIR

EN 10204:2004 2.2

MERCURY IS NOT USED BY US AS AN ALLOYING MATERIAL NOR IS METALLIC MERCURY HANDLED IN THE VICINITY OF OUR PROCESSING LINES. WE ARE NOT PRESENTLY AWARE OF ANY MERCURY CONTAMINATION.

Chemical Analysis

C	MN	P	S	SI	CR	NI	MO	CU	CO	N2	T1
.012	1.65	.032	.011	.41	18.16	8.10	.36	.43	0	.06	0

Physical Analysis

	YIELD		TENSILE		OTHER	
Hardness	PSI	MPA	PSI	MPA	Percent EL	Percent RA
RB 83	43700	0	91000	0	56	0

THE CHEMICAL ANALYSES ARE CORRECT AS CONTAINED IN OUR CORPORATE RECORDS.

PHYSICAL PROPERTIES ARE DETERMINED WHILE MATERIAL IS IN STRIP FORM.

Melted & Manufactured in the USA FAR BAA complies, DFARS BAA complies, FAR TAA complies

CERTIFIED BY:

Jane L. L...

1185 WIN DR, BETHLEHEM, PA., 18017 - (610) 865-5337

FAX NUMBER: 610-865-4073

130348

PHOENIX TUBE COMPANY, INC.
Manufacturer of Stainless Ornamental and Structural Tubing

CERTIFICATION OF TEST

Sold To: (

IT

Ship To: (

CUSTOMER ORDER#: C76419

CUST REF NBR:

DATE SHIPPED: 12/09/10

SIZE: 3/4SQ X 18GA AW

SOURCE: USA D

VENDOR: NAS

Specification:

ASTM A554-10

Phone# 5492603

Ext:

ORDER#: 233034

QTY SHIPPED: 202.0

GRADE: 304L

WELD: HF

HEAT#: SAJ9

TEST REPORT#: TR008258

Report Date: 04/07/09

S 11/01/25

T304L/304 DUAL CERTIFIED

NO WELD REPAIR

EN 10204 2.2

MERCURY IS NOT USED BY US AS AN ALLOYING MATERIAL NOR IS METALLIC MERCURY HANDLED IN THE VICINITY OF OUR PROCESSING LINES. WE ARE NOT PRESENTLY AWARE OF ANY MERCURY CONTAMINATION.

Chemical Analysis

C	MN	P	S	SI	CR	NI	MO	CU	CO	N2	T1
.014	1.66	.032	.015	.27	18.08	8.13	.33	.54	0	.07	0

Physical Analysis

	YIELD		TENSILE		OTHER	
Hardness	PSI	MPA	PSI	MPA	Percent EL	Percent RA
RB 84.5	49270	0	95640	0	49.4	0

THE CHEMICAL ANALYSES ARE CORRECT AS CONTAINED IN OUR CORPORATE RECORDS.

PHYSICAL PROPERTIES ARE DETERMINED WHILE MATERIAL IS IN STRIP FORM.

Melted & Manufactured In the USA FAR BAA complies, DFARS BAA complies, FAR TAA complies

CERTIFIED BY:

Jane L. Leno

1185 WIN DR, BETHLEHEM, PA., 18017 - (610) 865-5337

FAX NUMBER: 610-865-4073

128872

Acciaierie Valbruna S.p.A.



39100 VICENZA (Italia) - Viale della scienza, 25 r.l.
Stabil.: 39100 BOLZANO (Italia) - Via A. Volta, 4

Offerta / Angebot / Purchase Order
VALBRUNA CANADA LTD
8724 HOLGATE CRESCENT
L5T 5Z1-MILTON, ONT L5T 5Z1-CAN

Produttore: ACCIAIERIE VALBRUNA S.P.A.
Hersteller / Manufacturer

Oggetto Prove: Descaled Annealed Hotrolled
Liefergegenstand / Item description

Avviso di Spedizione: D-VI10019742
Versandbescheinigung / Invoice

Ordine nr: 002002810 Stock - Canada
Bestellnummer / Order number

Tipo di Elaborazione: E+AOD
Erzeugnisbezeichnung / Working process description

CERTIFICATO DI COLLAUDO
ABNAHMEPRUEFZEUGNIS
INSPECTION CERTIFICATE
CERTIFICAT DE RECEPTION
EN 10204 (2005) , 3.1

Certificato nr: MEST893063/2010/
Prüfungszettel

Conferma ordine nr: E110001761
Werkaufsbestätigung

Marchio di Fabbrica:
Zeichen des Herstellers
Tréma mark
Signe de l'usine productrice

Funzione del Collaudatore:
Geprüfter / Prüfzeugenzeugen
Inspecteur / Inspecteur



Specifiche:

A-Typen / Grades / Qualitäten

VAL CANADA 2 304/304L A
ASME SA182 2007 S30400/03
ASME SA479 2007 S30400/03
ASTM A262 2010 PRACTICE E
ASTM A320 2008 B8
NACE MR0175 2003 S30400/03 A
(1) SEC.II PTA 2007 EDITION ADD. 2008b
(1) SEC.II PTA 2007 EDITION ADD. 2008b
(1) SEC.II PTA 2007 EDITION ADD. 2008b
(1) SEC.II PTA 2007 EDITION ADD. 2008b
(1) SEC.II PTA 2007 EDITION ADD. 2008b

AMS 5639 H S30400
ASME SA182 2007 B8
ASTM A182 2008A S30400/03
ASTM A276 2008A S30400/03
ASTM A479 2010 S30400/03
QQ-S-763 F 304/304L

AMS 5647 H S30403
ASME SA320 2007 B8
ASTM A182 2008 B8
ASTM A314 2008 S30400/03
MIL-S-862 E/F 304/304L

Chemical analysis only.
2 SEC.II PTA 2007 EDITION ADD. 2008b
4 Chemical analysis only.

Quota: 304/304L
Werkstoff / Grade

Marca: AISI

Werkstoff / Grade

Purezza: 304/304L
Reinheitsgrad / Purity

Pos. nr. Pos. nr. No. de pos.	Oggetto Gegenstand Produkt description Objekt de produit	Dimensioni - In Abmessungen Dimensions Dimensions	Tolleranza Toleranz Tolerances Tolérances	Lunghezza - In Länge Length Longueur	Colata Guss Cast Coulée	Peso Gewicht Weight Poids	Peso - Lb Gewicht Weight Poids	Lotto nr. Lose n. Lot n. Lot n.
0010	Square	1,5000 x 1,3000	484-08	124 / 156	250596		2,452	105400680

Sono state soddisfatte tutte le condizioni richieste
Alle gegebenen Abmessungen und in Anlage erfüllt
The material has been furnished in accordance with the requirements
Le matériel a été livré conforme aux exigences

Controllo antimescolanze: OK
Verunreinigungsprüfung: spez. identifiziert / nicht durchgeführt
Annealing testing performed OK
Controlle antimescolanze: OK

Controllo visivo e dimensionale: soddisfa le esigenze
Sichtprüfung und Abmessung ohne Beanstandung
Visual inspection and dimensional check satisfactory
Controlle visuel et dimensionnel satisfaisant

TEST ALLO STATO DI FORNITURA									
Test on delivery condition Prüfung auf Lieferzustand Prüfung auf Zustand des Materials Prüfung auf Zustand des Materials									
TEST	Prova / Prüfung 1.500 x 1.300 mm mm	OF	Prova Prova Prova	Snervamento Snervamento Snervamento Snervamento Rp 0.2% Kst.	Snervamento Snervamento Snervamento Snervamento Rp 0.2% Kst.	Resistenza Resistenza Resistenza Resistenza Rp Kst.	Allungamento Allungamento Allungamento Allungamento E 4d %	Strizione Strizione Strizione Strizione RA %	Durezza Durezza Durezza Durezza HB
Valori richiesti 1 Anforderungen / Requirements Valeur requises		min max		80		75 115	40	50	140 223
A	12,5	88 L	40		84		60	71	170

TEST	min	max
A Grain size for ASTM E112		5

Analisi chimica

Chemische Zusammensetzung / Chemical Analysis / Analyse chimique

Carbonio C %	Mn Mn %	Si Si %	P P %	S S %	N N %	O O %	Cr Cr %	Mo Mo %	Cu Cu %	Ni Ni %	Co Co %	Pb Pb %	Fe Fe %
250596	0,025	0,51	1,64	18,07	0,38	0,35	8,05	0,120	0,035	0,022	0,086		

Produced without class III Ozone depleting substances.

Solution heat treated free from continuous carbide network.

Annealing temperature: 1910°F for 1 h/water.

Micro and macro etch test: OK

Intergranular corrosion test per ASTM A262 pract. E: ok.

Material is OFARS Compliant

Vicenza, 07/07/10 V00003 p.001 (V0001)	Il collaudatore di stabilimento / der Werkstoffprüfende / Works Inspector / L'agent d'usine M. Rizzotto	Pagina - 1 di 2
--	--	-----------------

00184-1

Acciaierie Valbruna S.p.A.



36100 VICENZA (Italia) - Viale della scienza, 25 z.l.
Sub.: 39100 BOLZANO (Italia) - Via A. Volta, 4

Cliente / Kunden / Client
VALBRUNA CANADA LTD
8724 HOLGATE CRESCENT
L5T 5Z1-MILTON, ONT L5T 5Z1-CAN

Produttore: ACCIAIERIE VALBRUNA S.P.A.
Hersteller / Fabricant

Oggetto Prove: Descaled Annealed Hotrolled
Prüfungsbefund / Prüfprotokoll

Anuncio di Spedizione: D-VI10018742
Lieferungsbefund / Bill of Lading

Ordine nr: 002002610 Stock - Canada
Bestellungsnummer / Order No.

Tipo di Elaborazione: E+AOB
Fertigungsart / Manufacturing process / Mode of fabrication

CERTIFICATO DI COLLAUDO
ABNAHMEPRUEFZEUGNIS
INSPECTION CERTIFICATE
CERTIFICAT DE RECEPTION
EN 10204 (2005) , 3.1

Certificato nr: MEST893063/2010/
Prüfung / Test Code

Conforma ordine nr: E110001761
Werkstoff / Material

Marchio di Fabbrica:
Eigenschaften / Characteristics
Toleranz / Tolerance
Güte der Ausführung

Funzione del Collaudatore:
Sprache des Werkstoffverständigen /
Inspector's designation / Inspector



Melted and manufactured in Italy No welding or weld repair Material free from Mercury contamination
Vie dodare that the finished product is checked for radioactive contamination through Portal System when it leaves the production plant.
The Quality Management System is Certified acc. Pressure Equipment Directive (97/23/EC) Annex 1, 2, 4.3 by TÜV and LLOYD's

Vicenza, 07/07/10
Vicepres
Jed. 10000

in collaborazione di stabilimento / der Werkstoffverständigen / Works Inspector / L'agent of usine

M. Rizzotto

Pagina - 2 di 2

8
0
0
1
0



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO13346

Purchase Order Date 1/24/11

PO Print Date 1/24/11

Page Number 1 of 1

Order From :

VC-MET002

METAUX SOLUTIONS
1320 C, VOLTA
BOUCHERVILLE, QC J4B 6G6
CA

Contact Name

Vendor Phone

800 558 8858

Vendor Fax

514 633 8044

Vendor Account Nbr

Buyer

Chantal Lavoie

Requisition Nbr

Tax Resale Nbr

10127-2607

Terms

Net 30

Currency

CAD

FOB

Destination-Collect

Ship To :

DART AEROSPACE LTD

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

FAXED
1/10/11

Line Nbr	Reference Revision ID Vendor Part Number	Description/ Mfg ID	Req Date/ Taxable	Req Qty/ Unit of Measure	Ship Method	Unit Price	Extended Price
1	M304TS0.750W.049 <i>RUSH</i>	304 SQ Tube .75x.75x.049W	1/27/11 Yes	<input checked="" type="checkbox"/> 200.00 f	TST ground	\$3.5000	\$700.00
		Special Inst:	MATERIAL: AISI 304/316 SEAMLESS STEEL SQUARE TUBING AS PER ASTM A554 MILL FINISH OR ASTM A269 MILL FINISH				
2	M304B1.500X1.500	304 bar 1.50 X1.50	1/27/11 Yes	12.00 f	TST ground	\$42.1000	\$505.20
		Special Inst:	MATERIAL: AISI 304/316 SS BAR OR AISI 304/316 SS PLATE AS PER ASTM A276 OR ASTM A240 NOTE: AISI 303 NOT ACCEPTABLE				

PO Total:

\$1,205.20

MATERIAL CERTIFICATION
REQ'D UPON DELIVERY

Change Nbr: 1

Change Date: 1/24/11

No substitution or deviation without
consent.
Certificate of Conformity or Material
Certification required when applicable

TRANSMISSION VERIFICATION REPORT

TIME : 01/24/2011 15:40
NAME :
FAX :
TEL :
SER.# : F9N212739

DATE, TIME
FAX NO./NAME
DURATION
PAGE(S)
RESULT
MODE

01/24 15:39
15146338044
00:00:20
01
OK
STANDARD
ECM



Bid

24/01/2011

7379

METAUX SOLUTIONS INC.
2108, 32E AVENUE
LACHINE, QUEBEC
H8T 3H7

Tel. : 514 633-8010

Sales Rep. : Jérôme Primeau
Expiration Date : 25/03/2011

Customer : 6323336

Ship To :

DART AEROSPACE LTD
1270, ABERDEEN STREET
HAWKESBURY, ONTARIO
K6A 1K7

Same

Fax: 613 632-1053

Item No.	Description	Qty	Price	Total	Tx
MP124130N	4130 NORM PLATE .500 THICK AMS 6645 2 X 3" X 141.750"	5.91	88.53	523.21	A
SSQT34340494	304 SQ TUBE .750 X .049 WALL 10 X 20'	200	3.50	700.00	A
SSQ1124	304 SQU 1.500 1 X 12'	12	42.10	505.20	A

COPY

Subtotal

1 728.41

A) Regist :

HST :

224.69

Total :

1 953.10

~~M174B0.250 X 1.12~~
~~M304B0.750 X 2.50 X 48ft~~

M1010B0.500X03.000	14.46	0	0	0
M1010B1.000X02.000	2.133157895	0	11.4	6
M1010R0.375	0.36	0	10	0
M1018TR1.250W.109	3.684210526	0	14.21	0
M12883/45-01	2	0	4	4
M174B0.500X02.000	9.11E-02	0	56.4027	20
M174B1.250X02.000	6.787225255	0	24.73765	20
M174B2.000X01.500	2.412105263	0	10.67	12
M174PH-H900B3.937X4.750	15.00432316	0	19.37915	8
M174PH-H900R1.000	91.97729118	0	11.62	4
M174PH-H900R1.375	92.49978947	0	34.4	4
M2024T3A1.0 X 1.0 X.125	0.2	0	10.2	0
M2024T3S.040	343.9051526	0	215.9595	64
M22759/16-16-9	10	0	62	10
M2650-6	27.84286749	0	63.44736844	30
M303B0.500X0.500	0.300063158	0	10.6908	6
M303B0.750X1.500	6.01473657	0	37.36166	6
M303B1.000X03.000	1.145	0	6.905	0
M303B1.000X1.000	1.547496792	0	7.31596	6
M303B1.000X2.000	1.83159	0	17.68421	6
M303B1.250X03.500	0.561389474	0	4	0
M303B1.500X03.000	0.121647368	0	2.5427	6
M303B2.000X1.750	3.647486316	0	13.76646	10
M303R0.313	6.14E-02	0	22.13	12
M303R0.375	5.159210526	0	34.725	12
M303R0.750	64.49005284	0	66.940216	60
M303R1.000	1.892184316	0	15.710158	12
M304B0.500X2.500 *	426.3356579	0	56.245	12
M304B1.500X1.500 ✓	0.435983417	0	2.29890868	6 12B+
M304EX0.75-16F	504.9167763	0	651.369233	192
M304R.250	0.356225474	0	34.505236	12
M304R.500	2.326526316	0	43.31	24
M304R1.00	8.210526316	0	0	0
M304RO.750	27.80484211	0	58.58003684	24
M304S12GA	67.03030015	0	193.1	32
M304S26GA	54.35749399	0	109.66	32
M304TR0.375W.035	3.16E-02	0	53.5	6
M304TR0.375W.065	0.137404047	0	27.5387	12
M304TR0.750W.065	1.212994737	0	63.5	24
M304TR1.000W.049	0.402610105	0	23.515268	24
M304TS0.500W.049	145.0335006	0	422.1160258	120
M304TS0.750W.049	272.8763495	0	138.7183048	120 200ft
M4130NB0.500X03.000 *	43.43868421	0	28.725	40 24ft
M4130NR0.375	0.557368421	0	11.75	0
M4130NR0.750	1.89E-02	0	12.9	6
M4130NT0.500W.049	5.725263158	0	58.283	10
M4130NT0.750W.049	38.23342105	0	105.5417	30
M4130NT1.000W.049	1.120723684	0	21.03125	12
M4130NT1.000W.120	0.249789474	0	15.84	12
M6061T6A.750W0.625	1	0	0	0
M6061T6A1.000W.125	18.88032159	0	49.00474264	0
M6061T6B0.250X06.000	6.348368421	0	18.448	12

Chantal Lavoie

From: Jérôme Primeau [j.primeau@metauxsolutions.com]
Sent: January 24, 2011 2:32 PM
To: 'Chantal Lavoie'
Subject: RE: Soumission : 7379

2 DAYS

De : Chantal Lavoie [mailto:clavoie@dartaero.com]
Envoyé : Monday, January 24, 2011 1:30 PM
À : 'METAUX SOLUTIONS INC.'
Objet : RE: Soumission : 7379

Hi Jerome,
Square tubing is it stock need asap .
Thanks
Chantal

From: METAUX SOLUTIONS INC. [mailto:j.primeau@metauxsolutions.com]
Sent: January 24, 2011 11:56 AM
To: DART AEROSPACE LTD
Subject: Soumission : 7379

_____ Information provenant de ESET NOD32 Antivirus, version de la banque de données de virus 5813 (20110124) _____

Le message a été vérifié par ESET NOD32 Antivirus.

<http://www.eset.com>

_____ Information provenant de ESET NOD32 Antivirus, version de la banque de données de virus 5813 (20110124) _____

Le message a été vérifié par ESET NOD32 Antivirus.

<http://www.eset.com>